

Certificate of Approval

This certificate confirms that the company below complies with the following standard(s):

Company Name	Zhejiang Ruihua Machinery Co., Ltd	Client ID	102557
Company Other Name		Type of Certification	Product Certification; System 5
Certification Standard	AS/NZS 1221-1997 : Fire hose reels including Amendment 1		
Scheme	Global-Mark Product Conformance Scheme		
Certification Review Date	16/07/2024	Certification Expiry Date	10/09/2029
Certificate Issue Date	9/05/2015	Certificate Last Update Date	31/01/2025


APPROVED COMPANY / SITE ADDRESS(ES):

Western Industrial Zone, Lingshan Town Yuyao Zhejiang 315460 China

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Approval remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Unique Certificate Code: B6695788EB37321448258C0E0010683A

Global-Mark Pty Ltd, 407, 32 Delhi Road, North Ryde NSW 2113, Australia - Copyright 2005



Global-Mark.com.au®

JAS-ANZ



WWW.JAS-ANZ.ORG/REGISTER

Model(s) on which the Global-Mark logo may be applied by the certificate holder as a declaration of compliance by the certificate holder:

In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. In issuing this Certificate of Approval Global-Mark has relied on the expertise of external bodies (laboratories, and technical experts).

Model Identification	Model Name	Brand Name	Product Description/Attributes	Date Approved
RH301913	RH301913	Presto	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 600mm dia.	10/09/2014
RH301913	RH301913	FireWorld	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 600mm dia.	10/09/2014
RH301913	RH301913	No Name	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 600mm dia.	10/09/2014
RH301913	RH301913	Isupply	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 600mm dia.	1/03/2016
RH301914	RH301914	Presto	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia.	10/09/2014
RH301914	RH301914	FireWorld	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia.	10/09/2014
RH301914	RH301914	No Name	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia.	10/09/2014
RH301914	RH301914	Isupply	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia.	1/03/2016
RH301917	RH301917	Presto	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia.	10/01/2016
RH301917	RH301917	FireWorld	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia.	10/01/2016
RH301917	RH301917	No Name	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia.	10/01/2016
RH301917	RH301917	Isupply	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia.	1/03/2016
RH301920	RH301920	Presto	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	12/03/2017
RH301920	RH301920	FireWorld	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	12/03/2017
RH301920	RH301920	No Name	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	12/03/2017
RH301920	RH301920	Isupply	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	12/03/2017



Certification Manager

John Hobbs

Model Identification	Model Name	Brand Name	Product Description/Attributes	Date Approved
HP3613-432	HP3613-432	Presto	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	8/05/2018
HP3613-432	HP3613-432	FireWorld	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	8/05/2018
HP3613-432	HP3613-432	No Name	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	8/05/2018
HP3613-432	HP3613-432	Isupply	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	8/05/2018
MHS3619-480	MHS3619-480	Presto	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	8/05/2018
MHS3619-480	MHS3619-480	FireWorld	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	8/05/2018
MHS3619-480	MHS3619-480	No Name	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	8/05/2018
MHS3619-480	MHS3619-480	Isupply	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	8/05/2018
RH301932	RH301932	Presto	Length (m): 36; Hose Diameter (mm): 25; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	1/08/2024
RH301932	RH301932	FireWorld	Length (m): 36; Hose Diameter (mm): 25; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	1/08/2024
RH301932	RH301932	No Name	Length (m): 36; Hose Diameter (mm): 25; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	1/08/2024
RH301932	RH301932	Isupply	Length (m): 36; Hose Diameter (mm): 25; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	1/08/2024
HS3626-540SS	HS3626-540SS	Presto	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia stainless steel plate.	10/01/2025
HS3626-540SS	HS3626-540SS	FireWorld	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia stainless steel plate.	10/01/2025
HS3626-540SS	HS3626-540SS	No Name	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia stainless steel plate.	10/01/2025
HS3626-540SS	HS3626-540SS	Isupply	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia stainless steel plate.	10/01/2025
SHS3619-480SS	SHS3619-480SS	Presto	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia stainless steel plate.	10/01/2025
SHS3619-480SS	SHS3619-480SS	FireWorld	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia stainless steel plate.	10/01/2025



Certification Manager

John Hobbs



global-mark®

Model Identification	Model Name	Brand Name	Product Description/Attributes	Date Approved
SHS3619-480SS	SHS3619-480SS	No Name	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia stainless steel plate.	10/01/2025
SHS3619-480SS	SHS3619-480SS	Isupply	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia stainless steel plate.	10/01/2025
HS3626-480SS	HS3626-480SS	Presto	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia stainless steel plate.	10/01/2025
HS3626-480SS	HS3626-480SS	FireWorld	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia stainless steel plate.	10/01/2025
HS3626-480SS	HS3626-480SS	No Name	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia stainless steel plate.	10/01/2025
HS3626-480SS	HS3626-480SS	Isupply	Length (m): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia stainless steel plate.	10/01/2025
HS3613-432SS	HS3613-432SS	Presto	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia stainless steel plate.	10/01/2025
HS3613-432SS	HS3613-432SS	FireWorld	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia stainless steel plate.	10/01/2025
HS3613-432SS	HS3613-432SS	No Name	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia stainless steel plate.	10/01/2025
HS3613-432SS	HS3613-432SS	Isupply	Length (m): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia stainless steel plate.	10/01/2025

Comments:

End of the document



Certification Manager

John Hobbs